AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q64324

Application No.: 09/845,356

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1-28. (canceled).

29. (currently amended): A light-emitting device comprising at least an anode, an

organic compound layer containing a light-emitting layer, and a cathode which are provided on a

substrate,

wherein the light-emitting layer is disposed between the anode and the cathode, and

comprises a red light-emitting material having a light-emitting wavelength peak of from 580 to

670 nm, a green light-emitting material having a light-emitting wavelength peak of from 500 to

570 nm, and a blue light-emitting material having a light-emitting wavelength peak of from 400

to 500 nm, and

wherein the green light-emitting material comprises at least one green light-emitting

material which is an orthometallated complex;

wherein the red light-emitting material comprises at least one red light-emitting material

which is an orthometallated complex;

wherein the metal forming the complex for the at least one green light-emitting material

which is an orthometallated complex is iridium or platinum;

wherein the metal forming the complex for the at least one red light-emitting material

which is an orthometallated complex is iridium;

wherein

2

AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q64324

Application No.: 09/845,356

(1) the blue, green and red light-emitting materials are contained in the same light-emitting layer, or

(2) the light-emitting layer comprises at least two different light-emitting layers in physical contact with each other, each containing at least one of the blue, green or red light-emitting materials.

30-32. (canceled).

- 33. (previously presented): The light-emitting device as claimed in claim 29, wherein the metal forming the complex for the at least one green light-emitting material which is an orthometallated complex is iridium.
- 34. (previously presented): The light-emitting device as claimed in claim 29, wherein the ligand forming the complex for the at least one green light-emitting material which is an orthometallated complex is a 2-phenylpyridine derivative.
- 35. (previously presented): The light-emitting device as claimed in claim 33, wherein the ligand forming the complex for the at least one green light-emitting material which is an orthometallated complex is a 2-phenylpyridine derivative.

36-43. (canceled).

44. (previously presented): The light-emitting device as claimed in claim 29, wherein the ligand forming the complex for the at least one red light-emitting material which is an orthometallated complex is a 2-phenylquinoline derivative.

45-47. (canceled).

48. (previously presented): The light-emitting device as claimed in claim 29, wherein the blue, green and red light-emitting materials are contained in the same light-emitting layer.

49. (canceled).

AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q64324

Application No.: 09/845,356

50. (previously presented): The light-emitting device as claimed in claim 29, which emits a white light.

- 51. (new): The light-emitting device as claimed in claim 29, wherein the light-emitting layer comprises at least two different light-emitting layers in physical contact with each other, each containing at least one of the blue, green or red light-emitting materials.
- 52. (new): The light-emitting device as claimed in claim 29, wherein the light-emitting layer comprises at least two different light-emitting layers in physical contact with each other, each containing at least one of the green or red light-emitting materials.
- 53. (new): The light-emitting device as claimed in claim 29, wherein the light-emitting layer comprises at least three different light-emitting layers, each containing only one of the blue, green or red light-emitting materials, with the light-emitting layer containing the green light-emitting material being in physical contact with the light-emitting layer containing the red light-emitting material.